



CLIENT: Psychedelist

SAMPLE: FINGER OF GOD N,N DMT VAPE PEN
BATCH NO.: 1
MATRIX: OTHER (INHALABLE)
DENSITY: 650 mg/ml
SAMPLE ID: TRP-260410-009
RECEIVED ON: APR 10, 2026

TRYPTAMINES SUMMARY

TOTAL ACTIVES:
60.217 %

PSILOCIN EQ.:
ND

POTENCY SUMMARY

TOTAL ANALYZED COMPOUNDS:	602.169 mg/g
TOTAL CANNABINOIDS:	NOT TESTED
TOTAL ALKALOIDS:	60.217 %
TOTAL TERPENES:	NOT TESTED
TOTAL POLYSACCHARIDES:	NOT TESTED

METALS SUMMARY

TOTAL METAL CONTENT:
ND

MICROBIALS SUMMARY

DETECTED:
NOT TESTED

MOISTURE / WATER ACTIVITY

MOISTURE: NOT TESTED	WATER ACTIVITY: NOT TESTED
--------------------------------	--------------------------------------

PESTICIDES SUMMARY

TOTAL CONCENTRATION:	ND
NALED	<LOQ ppb
DIURON	<LOQ ppb
OXAMYL	<LOQ ppb
MGK-264	<LOQ ppb
PHOSMET	<LOQ ppb

RESIDUAL SOLVENTS SUMMARY

TOTAL CONCENTRATION: 9.171 µg/g	HEXANE: 9.171 µg/g
---	------------------------------



This certificate of analysis is intended for personal use products that do not violate state or local law. Statements of conformity to specifications are made in this report without taking measurement of uncertainty into account. Tryptomics is not licensed by the State of Colorado.
 NT = not tested. ND = not detected. LOD = Limit of detection. LOQ = Limit of quantitation

Sample ID: TRP-260410-009

Caleb King, MS
 Chief Science Officer,
 Tryptomics
 Apr 29, 2026



CERTIFICATE OF ANALYSIS

PRODUCED: APR 29, 2026

SAMPLE: FINGER OF GOD N,N DMT VAPE PEN (OTHER (INHALABLE)) // **CLIENT:** PSYCHEDELIST



BATCH NO.: 1
MATRIX: OTHER (INHALABLE)
DENSITY: 650 mg/ml
SAMPLE ID: TRP-260410-009
RECEIVED ON: APR 10, 2026

COA SUMMARY

TOTAL ANALYZED COMPOUNDS: 391.41 mg/ml
PSILOCIN EQUIVALENT: 0 mg/ml

TOTALS INCLUDE ALKALOIDS

TEST SUMMARY

TESTED ALKALOIDS	TESTED PESTICIDES	TESTED METALS	TESTED SOLVENTS	NOT TESTED CANNABINOIDS	NOT TESTED FLAVONOIDS	NOT TESTED FOREIGN
NOT TESTED HOMOGENEITY	NOT TESTED MICROBIAL	NOT TESTED MYCOTOXINS	NOT TESTED POLYSACCHARIDES	NOT TESTED STEROLS	NOT TESTED TERPENES	NOT TESTED TRITERPENES
NOT TESTED ISOXAZOLES	NOT TESTED CAROTENOIDS	NOT TESTED PHENETHYLAMINES				



SCAN TO BUY TESTS

This certificate of analysis is intended for personal use products that do not violate state or local law. Statements of conformity to specifications are made in this report without taking measurement of uncertainty into account. Tryptomics is not licensed by the State of Colorado.
NT = not tested. ND = not detected. LOD = Limit of detection. LOQ = Limit of quantitation

Sample ID: TRP-260410-009

Caleb King, MS
Chief Science Officer,
Tryptomics
Apr 29, 2026

**NATURAL TRYPTAMINE PANEL****TOTAL ANALYTES**
TOTAL ANALYTES60.217 %
602.169 mg/g

ANALYTE	%	mg/ml	LOD / LOQ (mg/ml)
DIMETHYLTRYPTAMINE (N,N-DMT)	58.983	383.389	0.01280 / 0.12802
N-METHYLTRYPTAMINE (N-NMT)	1.234	8.021	0.00225 / 0.00749
4-HO-TRIMETHYLTRYPTAMINE (4-HO-TMT)	ND	ND	0.00225 / 0.00749
4-HYDROXYTRYPTAMINE	ND	ND	0.00225 / 0.00749
5-HYDROXYTRYPTOPHAN (5-HTP)	ND	ND	0.00225 / 0.00749
5-METHOXY-NMT	ND	ND	0.02248 / 0.06744
5-METHOXY-DMT (5-MEO-DMT)	ND	ND	0.00225 / 0.00749
ADENOSINE	ND	ND	0.00225 / 0.00749
AERUGINASCIN	ND	ND	0.00225 / 0.00749
BAEOCYSTIN (4-PO-NMT)	ND	ND	0.00225 / 0.00749
BUFOTENIN (5-HO-DMT)	ND	ND	0.00225 / 0.00749
NORBAEOCYSTIN (4-PO-TRYPTAMINE)	ND	ND	0.00225 / 0.00749
NORPSILOCIN (4-HO-NMT)	ND	ND	0.00225 / 0.00749
PSILOCIN (4-HO-DMT)	ND	ND	0.00225 / 0.00749
PSILOCYBIN (4-PO-DMT)	ND	ND	0.00225 / 0.00749
SEROTONIN (5-HO-TRYPTAMINE)	ND	ND	0.00225 / 0.00749
TRYPTAMINE	ND	ND	0.00225 / 0.00749
TRYPTOPHAN	ND	ND	0.00225 / 0.00749
PSILOCIN EQUIVALENT**	ND	ND	--

** PSILOCIN EQUIVALENT = PSILOCIN + (PSILOCYBIN X 0.7186)

**SYNTHETIC TRYPTAMINE PANEL****TOTAL ANALYTES**
TOTAL ANALYTES0.000 %
0.000 mg/g

ANALYTE	%	mg/ml	LOD / LOQ (mg/ml)
4-ACETOXY-DET	ND	ND	0.01297 / 0.12972
PSILACETIN (4-ACO-DMT)	ND	ND	0.01318 / 0.13178
4-ACO-MET	ND	ND	0.01328 / 0.13276
4-ACETOXY-MIPT	ND	ND	0.01316 / 0.13158
4-HYDROXY-DET	ND	ND	0.01266 / 0.12656
4-HYDROXY ETHYLPROPYLTRYPTAMINE (4-HO-EPT)	ND	ND	0.01262 / 0.12619
4-HYDROXY METHYLETHYLTRYPTAMINE (4-HO-MET)	ND	ND	0.03746 / 0.18732
4-PROPANOYLOXY-DMT	ND	ND	0.01317 / 0.13171
DIISOPROPYLTRYPTAMINE (DIPT)	ND	ND	0.01354 / 0.13540
DIPROPYLTRYPTAMINE (DPT)	ND	ND	0.01351 / 0.13510
ETHYLPROPYLTRYPTAMINE (EPT)	ND	ND	0.01273 / 0.12728
METHYLETHYLTRYPTAMINE (MET)	ND	ND	0.01276 / 0.12763

SCAN TO BUY
TESTS

This certificate of analysis is intended for personal use products that do not violate state or local law. Statements of conformity to specifications are made in this report without taking measurement of uncertainty into account. Tryptomics is not licensed by the State of Colorado.

NT = not tested. ND = not detected. LOD = Limit of detection. LOQ = Limit of quantitation

Sample ID: TRP-260410-009

Caleb King, MS
Chief Science Officer,
Tryptomics
Apr 29, 2026



COLORADO PESTICIDE PANEL
BY LC-MS/MS

ANALYTE	ppb	LOD / LOQ (ppb)
NALED	<LOQ	0.00001 / 100.00000
DIURON	<LOQ	0.00686 / 125.00000
OXAMYL	<LOQ	0.00162 / 3000.00000
MGK-264	<LOQ	0.00259 / 50.00000
PHOSMET	<LOQ	0.00962 / 20.00000
ACEPHATE	<LOQ	0.03963 / 20.00000
ALDICARB	<LOQ	227.44000 / 1000.00000
ATRAZINE	<LOQ	0.37992 / 25.00000
BOSCALID	<LOQ	0.00000 / 20.00000
CARBARYL	<LOQ	0.00001 / 50.00000
DIAZINON	<LOQ	0.00000 / 20.00000
FENTHION	<LOQ	4.91138 / 20.00000
FIPRONIL	<LOQ	0.02115 / 60.00000
IMAZALIL	<LOQ	0.00030 / 50.00000
METHOMYL	<LOQ	0.00000 / 50.00000
PROPOXUR	<LOQ	0.35081 / 20.00000
SPINOSAD	<LOQ	0.59903 / 100.00000
ABAMECTIN	<LOQ	0.00032 / 100.00000
ALLETHRIN	<LOQ	0.47244 / 200.00000
COUMAPHOS	<LOQ	0.00010 / 20.00000
DODEMORPH	<LOQ	0.00000 / 50.00000
ETOXAZOLE	<LOQ	0.85580 / 20.00000
FLUOPYRAM	<LOQ	0.00000 / 20.00000
IPRODIONE	<LOQ	0.10554 / 1000.00000
KINOPRENE	<LOQ	3.40000 / 500.00000
MALATHION	<LOQ	0.00013 / 20.00000
METALAXYL	<LOQ	0.00005 / 20.00000
MEVINPHOS	<LOQ	0.00004 / 50.00000
NOVALURON	<LOQ	0.00021 / 50.00000
PYRIDABEN	<LOQ	0.00000 / 50.00000
BIFENAZATE	<LOQ	0.00000 / 20.00000
BIFENTHRIN	<LOQ	0.00084 / 1000.00000
BUPROFEZIN	<LOQ	0.00000 / 20.00000
CARBOFURAN	<LOQ	0.00008 / 20.00000
CYFLUTHRIN	<LOQ	28.13000 / 200.00000
CYPRODINIL	<LOQ	0.00114 / 250.00000
DAMINOZIDE	<LOQ	0.30408 / 100.00000
DICHLORVOS	<LOQ	1.14060 / 100.00000
DIMETHOATE	<LOQ	0.00000 / 20.00000
ETOFENPROX	<LOQ	0.00803 / 50.00000
FENHEXAMID	<LOQ	1.09478 / 125.00000
FENOXYCARB	<LOQ	0.34507 / 20.00000
FLONICAMID	<LOQ	0.06973 / 50.00000
METHIOCARB	<LOQ	0.00228 / 20.00000
METHOPRENE	<LOQ	1.14850 / 2000.00000
PERMETHRIN	<LOQ	0.02209 / 500.00000
PHENOTHRIN	<LOQ	0.00000 / 50.00000
PIRIMICARB	<LOQ	0.00006 / 20.00000
PYRETHRINS	<LOQ	0.00624 / 50.00000
RESMETHRIN	<LOQ	0.06801 / 100.00000
SPINETORAM	<LOQ	0.02365 / 20.00000

ANALYTE	ppb	LOD / LOQ (ppb)
ACEQUINOCYL	<LOQ	0.05765 / 30.00000
ACETAMIPRID	<LOQ	0.00000 / 100.00000
DINOTEFURAN	<LOQ	0.23697 / 100.00000
ETHOPROPHOS	<LOQ	0.00002 / 20.00000
ETRIDIAZOLE	<LOQ	4.02000 / 30.00000
FENVALERATE	<LOQ	0.59775 / 100.00000
FLUDIOXONIL	<LOQ	0.01340 / 20.00000
HEXYTHIAZOX	<LOQ	0.00006 / 10.00000
PRALLETHRIN	<LOQ	0.16732 / 50.00000
SPIROXAMINE	<LOQ	1.21720 / 100.00000
THIACLOPRID	<LOQ	0.00001 / 20.00000
AZADIRACHTIN	<LOQ	0.00307 / 1000.00000
AZOXYSTROBIN	<LOQ	0.01325 / 20.00000
CHLORPYRIFOS	<LOQ	0.00009 / 40.00000
CLOFENTEZINE	<LOQ	0.00000 / 20.00000
CLOTHIANIDIN	<LOQ	0.00040 / 50.00000
CYPERMETHRIN	<LOQ	0.00000 / 300.00000
ΔMETHRIN	<LOQ	0.49284 / 500.00000
DIMETHOMORPH	<LOQ	0.00016 / 50.00000
IMIDACLOPRID	<LOQ	0.00015 / 20.00000
MYCLOBUTANIL	<LOQ	0.70006 / 20.00000
PYRIPROXYFEN	<LOQ	0.00010 / 10.00000
SPIROMESIFEN	<LOQ	0.32183 / 3000.00000
TEBUCONAZOLE	<LOQ	0.00000 / 50.00000
TEBUFENOZIDE	<LOQ	0.01812 / 20.00000
TETRAMETHRIN	<LOQ	0.00010 / 100.00000
THIAMETHOXAM	<LOQ	0.00000 / 20.00000
CHLORPHENAPYR	<LOQ	15.37000 / 50.00000
FENPYROXIMATE	<LOQ	0.00000 / 20.00000
FENSUFOTHION	<LOQ	0.00079 / 20.00000
PACLOBUTAZOL	<LOQ	0.00000 / 20.00000
PROPICONAZOLE	<LOQ	0.00000 / 100.00000
SPIRODICLOFEN	<LOQ	0.37377 / 250.00000
SPIROTETRAMAT	<LOQ	0.04276 / 20.00000
TEFLUBENZURON	<LOQ	0.01662 / 20.00000
THIABENDAZOLE	<LOQ	0.00125 / 20.00000
PYRACLOSTROBIN	<LOQ	0.00000 / 20.00000
ENDOSULFAN-BETA	<LOQ	22.76000 / 50.00000
KRESOXIM-METHYL	<LOQ	0.00015 / 20.00000
TRIFLOXYSTROBIN	<LOQ	0.00000 / 20.00000
BENZOVINDIFLUPYR	<LOQ	0.02567 / 20.00000
CYANTRANILIPROLE	<LOQ	0.00600 / 20.00000
ENDOSULFAN-ALPHA	<LOQ	12.22000 / 200.00000
PARATHION-METHYL	<LOQ	4.24000 / 50.00000
PIPERONYLBUTOXIDE	<LOQ	0.00000 / 200.00000
TETRACHLORVINPHOS	<LOQ	0.83913 / 20.00000
CYHALOTHRIN LAMBDA	<LOQ	0.11686 / 250.00000
ENDOSULFAN SULFATE	<LOQ	0.88376 / 50.00000
PENTACHLOROBENZENE	<LOQ	4.39000 / 20.00000
THIOPHANATE-METHYL	<LOQ	0.00022 / 50.00000
CHLORANTRANILIPROLE	<LOQ	0.13559 / 20.00000



SCAN TO BUY TESTS

This certificate of analysis is intended for personal use products that do not violate state or local law. Statements of conformity to specifications are made in this report without taking measurement of uncertainty into account. Tryptomics is not licensed by the State of Colorado.

NT = not tested. ND = not detected. LOD = Limit of detection. LOQ = Limit of quantitation

Sample ID: TRP-260410-009

Caleb King, MS
Chief Science Officer,
Tryptomics
Apr 29, 2026

ANALYTE	ppm	LOD / LOQ (ppm)
CHROMIUM	< LOQ	0.06500 / 0.19800
LEAD	ND	0.02100 / 0.06200
COPPER	ND	0.08300 / 0.25100
NICKEL	ND	0.05500 / 0.16600
ARSENIC	ND	0.01600 / 0.05000
CADMIUM	ND	0.02200 / 0.06700
MERCURY	ND	0.02800 / 0.08400

ANALYTE	µg/g	LOD / LOQ (µg/g)
HEXANE	9.171	0.30000 / 1.00000
BUTANE	ND	5.00000 / 15.00000
ACETONE	ND	0.67000 / 2.00000
BENZENE	ND	0.01670 / 0.05000
ETHANOL	ND	5.00000 / 15.00000
HEPTANE	ND	5.00000 / 15.00000
PENTANE	ND	5.00000 / 15.00000
PROPANE	ND	5.00000 / 15.00000
TOLUENE	ND	0.70000 / 2.00000
METHANOL	ND	1.70000 / 5.00000
M-XYLENE	ND	1.67000 / 5.00000
O-XYLENE	ND	1.67000 / 5.00000
P-XYLENE	ND	1.67000 / 5.00000
ISOBUTANE	ND	5.00000 / 15.00000
ETHYL ACETATE	ND	0.30000 / 1.00000
ISOPROPYL ALCOHOL	ND	5.00000 / 15.00000



SCAN TO BUY
TESTS

This certificate of analysis is intended for personal use products that do not violate state or local law. Statements of conformity to specifications are made in this report without taking measurement of uncertainty into account. Tryptomics is not licensed by the State of Colorado.
NT = not tested. ND = not detected. LOD = Limit of detection. LOQ = Limit of quantitation

Sample ID: TRP-260410-009



Caleb King, MS
Chief Science Officer,
Tryptomics
Apr 29, 2026